

## **KRONOS 2360**

**Titanium Dioxide** 

for coatings and plastics subject to very high demands on weather resistance

Applications	— High-quality, weather-resistant industrial coatings				
	<ul> <li>Waterborne coating systems</li> <li>Exterior powder coatings</li> <li>White and tinted automotive finishes and vehicle refinish systems</li> <li>High-quality, weather-resistant architectural coatings</li> </ul>				
				<ul> <li>Colored plastics for outdoor use, e</li> </ul>	specially PVC profiles and siding
			Properties	KRONOS 2360 Titanium Dioxide	
				<ul> <li>provides superior resistance to weathering and excellent color stability in tinted systems</li> </ul>	
<ul> <li>imparts outstanding durability to coatings and colored plastics</li> </ul>					
<ul> <li>imparts maximum brightness and a neutral tone</li> </ul>					
<ul> <li>produces brilliant, clean tints in colored systems</li> </ul>					
<ul> <li>delivers very high opacity and tinting strength</li> </ul>					
<ul> <li>produces high-gloss coatings</li> </ul>					
	— is readily wetted and dispersed				
Product	Production rutile pigment p	produced by the chloride proces			
Characteristics	Surface treatment a	luminium and silicon compound			
	TiO <sub>2</sub> content (DIN EN ISO 591)	≥ 92.0			
	Standard classification (DIN EN ISO 591-1) R 2				
	ASTM D 476	Type IV, V, VI & V			
	Density (DIN EN ISO 787-10)*	4.0 g/cm			
	Bulking value*	0.25 l/kg (0.03 gal/lt			
	Oil absorption (DIN EN ISO 787-5)*	19 g/100 g pigmer			
	Color index	Pigment White 6 (77891			

\* Typical value

**REACH Registration No.** 

CAS No.

The information contained herein only applies to the specified KRONOS product, and, while not guaranteed, is, to the best of our knowledge, true and accurate as of the date of publication of this information. KRONOS assumes no obligation or liability in connection with the use of any information in this document, and NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OF GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE BY VIRTUE OF THIS DOCUMENT REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. It is the responsibility of the user to determine the suitability of the product for its own particular purpose, and the user assumes all risks of use and handling of the product. This document does not create any contractual rights between KRONOS and the user. © 2022 KRONOS Worldwide, Inc. KRONOS® and logo designs associated therewith are trademarks of Kronos Worldwide, Inc. and/or its subsidiaries or affiliates.

13463-67-7

01-2119489379-17-xxxx

© KRONOS INTERNATIONAL, Inc., 2022