

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

1 Identification	
Product identifier	
Trade name:	<b>KRONOS Titanium dioxide</b>
Product Codes	KRONOS 1000; KRONOS 1002; KRONOS 2044; KRONOS 2073; KRONOS 2078; KRONOS 2190 KRONOS 2211; KRONOS 2220; KRONOS 2222; KRONOS 2230; KRONOS 2233; KRONOS 2350; KRONOS 2500; Type 3752;
Other means of identification	
Relevant identified uses of the substance or mixture	White pigment for application in coating materials, printing inks, man-made fibres, plastics, paper, glass, vitreous enamels, ceramic products
Uses advised against	Manufacture of titanium metal
Uses prohibited	None
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	KRONOS (US), Inc. 5430 LBJ Freeway, Suite 1700 Dallas, Tx 75240 +1 (972) 233-1700
Emergency telephone number:	+1-800-424-9300 (CHEMTRAC) for transportation emergencies only (US) +1-800-866-5600 for other product information (8:00 AM – 5:00 PM, US central time)
2 Hazard(s) identification	
Classification of the substance or mixture	The product is not classified, according to the Globally Harmonized System (GHS).
Label elements	
GHS label elements	Not applicable
Hazard pictograms	Not applicable
Signal word	Not applicable
Hazard statements	Not applicable
Other hazards	Dust load
3 Composition/information on ingredients	
Chemical characterization:	Mixtures
Dangerous components:	Not applicable
4 First-aid measures	
Description of first aid measures	
General information	No special measures required.
(Contd. on page 2)	

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

Trade name: KRONOS Titanium dioxide

(Contd. of page 1)

After inhalation	Supply fresh air; consult doctor in case of complaints.
After skin contact	Immediately wash with water and soap and rinse thoroughly.
After eye contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing	Rinse out mouth and then drink plenty of water.
<b>Most important symptoms and effects, both acute and delayed</b>	No further relevant information available.
<b>Indication of any immediate medical attention and special treatment needed</b>	No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media	
Suitable extinguishing agents	Use fire fighting measures that suit the environment. The product is not flammable.
Special hazards arising from the substance or mixture	None
Advice for firefighters	
Protective equipment:	Use protective measures that suit the hazard conditions.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	Not required
Environmental precautions:	No special measures required.
Methods and material for containment and cleaning up:	Avoid dust formation. Sweep or vacuum up, use vacuum approved for fine dusts.
Reference to other sections	See Section 8 for information on personal protective equipment. See Section 13 for disposal information.

## 7 Handling and storage

Precautions for safe handling	Provide vacuum dust collection if dust is formed.
Information about protection against explosions and fires:	The product is not flammable Titanium dioxide product may be packaged at temperatures of approximately 100 to 120 °C (212 to 248 °F) and stay hot for a long (Contd. on page 3)

US

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

Trade name: KRONOS Titanium dioxide

(Contd. of page 2)

time depending on ambient temperatures and inventory storage practices. Due to the potential of elevated pigment temperature, caution should be used while handling pigment and when used in or near volatile solvent applications.

**Conditions for safe storage, including any incompatibilities****Requirements to be met by**

storerooms and receptacles: No special requirements.

**Information about storage in one**

common storage facility: Not required

**Further information about**

storage conditions: Store in dry conditions.

**8 Exposure controls/personal protection****Control parameters****Components with limit values that require monitoring at the workplace:**

CAS: 13463-67-7 Titanium dioxide

ACGIH - TLV Long-term value: 10 TWA, mg/m<sup>3</sup>  
respirable fraction 1mg/m<sup>3</sup> TWA

OSHA - PEL Long-term value: 15\* mg/m<sup>3</sup>  
\*total dust, 8 hr TWA

**Exposure controls**

Use local exhaust ventilation if airborne concentrations would otherwise exceed applicable exposure limits.

**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Titanium dioxide pigments are not irritants but as with all fine powders can absorb moisture and natural oil from the surface of the skin during prolonged exposure. Prolonged exposure should be avoided by wearing suitable protective gloves and clothing.

**Breathing equipment:**

If workplace exposure limits are exceeded, use respiratory protection according to national regulations.

The respirator must be selected by a technically qualified individual.

**Protection of hands:**

Use gloves appropriate for work conditions to minimize prolonged skin contact and prevent drying and subsequent irritation of skin. Check protective gloves prior to each use for their proper condition. Preventive skin protection by use of skin-protecting agents is recommended.

**Material of gloves:**

The selection of suitable gloves depends on the type of job, the characteristics of all substances to be handled and on further marks of quality, which may vary from manufacturer to manufacturer. If the product is used in a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

US

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

Trade name: KRONOS Titanium dioxide

(Contd. of page 3)

Eye protection: Safety glasses

Body protection: Protective work clothing.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

Physical state	Solid.
Color:	White
Odor:	Odorless
Odor threshold:	Not relevant
Melting point/Melting range:	>1800°C (>3,272°F)
Boiling point/Boiling range:	Not relevant
Flammability:	Product is not flammable.
Flash point:	Not applicable
Auto igniting:	Not applicable
pH-value at 20°C (68°F):	5.2 - 8.5
Viscosity:	Not applicable
dynamic:	
Solubility in / Miscibility with	
Water:	Insoluble
Partition coefficient (n-octanol/water):	Not applicable
Vapor pressure:	
Density:	20°C Anatase 3,9 g/cm³ (30 lbs/ U.S. gal.) Rutile 4,2 g/cm³ (35 lbs/U.S. gal.) ca. 500-900 kg/m³ (4.2 - 7.5 lbs/U.S. gal.)
Bulk density:	
Vapor density	Not applicable

#### Other information

Appearance: Powder

Form: Important information on protection of health and environment, and on safety.

Danger of explosion: Product is not explosive.

Evaporation rate: Not applicable.

## 10 Stability and reactivity

Reactivity: The substance is stable under normal use conditions.

#### Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition under normal use conditions.

Possibility of hazardous reactions

No dangerous reactions known

Conditions to avoid

No further data; see Section 7.

(Contd. on page 5)

US

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

Trade name: KRONOS Titanium dioxide

(Contd. of page 4)

Incompatible materials: No further data; see Section 7.

Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

##### LD/LC50 values that are relevant for classification:

CAS: 13463-67-7 Titanium dioxide

Oral LD50 &gt; 5,000 mg/kg (rat) (OECD 425)

Dermal LD50 &gt; 5,000 mg/kg (rabbit)

Inhalative LC50/4h &gt; 6.8 mg/l (rat)

#### Primary irritant effect:

on the skin:

OECD 404:

No irritant effect.

Powderized material may dry and mechanically irritate skin.

on the eye:

OECD 405:

No irritating effect.

Like any foreign body, particles (dust) can cause mechanical irritation.

Sensitization:

OECD 406, OECD 429

No sensitizing effects.

#### Subacute to chronic toxicity:

CAS: 13463-67-7 Titanium dioxide

Oral NOAEL 3,500 mg/kg/d (rat) (90 d)

Dermal NOAEL (-)

no relevant data available

Inhalative NOAEC 10 mg/m<sup>3</sup> (rat) (90 d)

#### Carcinogenic categories

##### IARC (International Agency for Research on Cancer)

CAS: 13463-67-7 Titanium dioxide: 2B

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

US

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

Trade name: KRONOS Titanium dioxide

(Contd. of page 5)

**12 Ecological information****Toxicity****Toxicity to fish****CAS: 13463-67-7 Titanium dioxide****LC50 > 10,000 mg/l (Sheepshead minnow)**  
(semi-static, OECD 203 (acute toxicity for fish))  
**> 1,000 mg/l (Pimephales promelas)**  
(static, EPA-540/9-85-006, Acute Toxicity Test for Freshwater Fish)**Toxicity to Daphnia and other aquatic invertebrates****CAS: 13463-67-7 Titanium dioxide****LC50 > 10,000 mg/l (Acartia tonsa)**  
(ISO 14669 (1999); ISO 5667-16 (1998))  
**> 1,000 mg/l (Daphnia magna)**  
(static, OECD 202 (daphnia acute immobilisation test))**Toxicity to algae and aquatic plants****CAS: 13463-67-7 Titanium dioxide****EC50 > 100 mg/l (Pseudokirchneriella subcapitata)**  
(static, OECD 201 (freshwater alga and cyanobacteria, growth inhibition test))  
**> 10,000 mg/l (Skeletonema costatum)**  
(ISO 10253)**Toxicity to sediment organisms****CAS: 13463-67-7 Titanium dioxide****NOEC ≥ 100,000 mg/kg dw (Hyalella azteca)**  
(semi-static, ASTM 1706)**Persistence and degradability** Not relevant for inorganic substances.**Bioaccumulative potential** Does not accumulate in organisms**Mobility in soil** The substance is immobile in soil.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation:**Disposal must be made according to all federal, state, and local  
(municipal) regulations.(Contd. on page 7)  
US

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

Trade name: KRONOS Titanium dioxide

(Contd. of page 6)

**Uncleaned packagings:**
**Recommendation:**

Disposal must be made according to all federal, state, and local (municipal) regulations.

**14 Transport information**
**UN-Number**

DOT, ADR/RID/ADN, ADN, IMDG, IATA      Not applicable

**UN proper shipping name**

ADR/RID/ADN, ADN, IMDG, IATA      Not applicable

**Transport hazard class(es)**
**DOT, ADR/RID/ADN, ADN, IMDG, IATA**

Class      Not applicable

**Packing group**

DOT, ADR/RID/ADN, IMDG, IATA      Not applicable

**Environmental hazards**

Not an environmentally hazardous substance.

**Transport in bulk according to Annex II of**

MARPOL73/78 and the IBC Code      Not applicable

**Special precautions for user**

Not applicable

Not applicable

**15 Regulatory information**
**Safety, health and environmental regulations/legislation specific for the substance or mixture**
**SARA**
**Section 355 (Extremely hazardous substances):**

None of the ingredients is listed

**Section 313 (Specific toxic**
**chemical listings):**      Product contains traces of toxic chemicals subject to reporting requirements of 40 CFR 372:

CAS: 7439-92-1 Lead: &lt;10 ppm

CAS: 7439-97-6 Mercury: &lt;0.1 ppm

**Section 311 (TIER 1 notification)**

None of the ingredients is listed.

**TSCA and Canada DSL Status:**

All components have the value ACTIVE.

**Hazardous Air Pollutants**

None of the ingredients is listed.

**OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA)**
**New Jersey Right-to-Know List:**

All ingredients are listed.

 (Contd. on page 8)  
 US

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 01/05/2026

Version 13.00

Reviewed on 01/05/2026

**Trade name: KRONOS Titanium dioxide**

(Contd. of page 7)

**New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

**Pennsylvania Right-to-Know List:**

All ingredients are listed.

**Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

**Carcinogenic categories****EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**TLV (Threshold Limit Value Notation established by ACGIH)**

All components have the value A4 Not classifiable as human carcinogen.

**16 Other information**

This information pertains solely to the identified product and includes our reliance on regulations in effect and information from third parties as of the date hereof. It remains the sole responsibility of the customer to determine the suitability of the product when used in specific processes and applications or combined with other materials and to ensure compliance with all relevant laws, regulations, and standards governing those uses. The provision of this information does not constitute a warranty, guarantee, or representation of any kind. No contractual obligations, either express or implied, are created between KRONOS and any recipient of this information.

**Contact:**

**KRONOS (US), Inc.**  
5430 LBJ Freeway, Suite 1700  
Dallas, Tx 75240  
e-mail: SDS-NA@kronosww.com  
**KRONOS (US), Inc.**  
5430 LBJ Freeway, Suite 1700  
Dallas, Tx 75240  
e-mail: SDS-NA@kronosww.com

**Date of previous version**

10/14/2025

**Version number of previous version:**

12.00

**Date of preparation**

01/05/2026

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

\* Data compared to the previous version altered.

\* Data altered compared to the previous version .

US