

KRONOS 2073

Titanium Dioxide

for plastics and rubber

Applications

- Thermoplastics concentrates
- Flexible PVC
- Rigid PVC
- Rubber
- Linoleum

Properties

KRONOS 2073 Titanium Dioxide

- Imparts high brightness and opacity to film, sheet and molded products
- Disperses readily in rubber and plastics

Product Characteristics

Production	rutile pigment produced by the chloride process
Surface treatment	aluminum compound and an organic substance
TiO ₂ content (DIN EN ISO 591)*	≥ 97.1%
Standard classification (DIN EN ISO 591-1)	R 2
ASTM D 476	Type II
Density (DIN EN ISO 787-10)*	4.2 g/cm ³
Bulking value*	0.24 l/kg (0.03 gal/lb)
Oil absorption (DIN EN ISO 787-5)*	14 g/100 g pigment
Color index	Pigment White 6 (77891)
CAS No.	13463-67-7
NSF	Standard 14
REACH Registration No.	01-2119489379-17-xxxx

* Typical value

This information pertains solely to the identified product and includes our reliance on testing and information from third parties as of the date hereof. It is not intended to serve as legal, regulatory, or safety advice. It remains the sole responsibility of the customer to determine the suitability of the product when used in specific processes and applications or combined with other materials and to ensure compliance with all relevant laws, regulations, and standards governing those uses. The provision of this information DOES NOT CONSTITUTE A WARRANTY, GUARANTEE, OR REPRESENTATION OF ANY KIND REGARDING PERFORMANCE, SUITABILITY, STABILITY OR OTHERWISE, including compliance with any law, regulation, or industry standard. No contractual obligations or rights, either express or implied, are created between KRONOS and any recipient of this information. © Kronos Worldwide, Inc., KRONOS™ and logo designs associated therewith are copyrights and trademarks of Kronos Worldwide, Inc. and/or its subsidiaries or affiliates.